Room & Bathroom Freshener



MATERIAL SAFETY DATA SHEET

Revision Date: 18/08/2022

MSDS

Print Date: 18/08/2022 Version: 1.0

Section 1 - Identification of the Substance/Preparation and of the Company/Undertaking

ASIN:	B0B3S1FKDL Aromahpure Room & Bathroom Freshener	
Product Name:		
	-:Company Information:-	
Trade Name:	AVA International Private Limited	
Trade Address:	Plot No. 83, Sector-53, Phase-V, HSIIDC, Industrial Estate, Kundli,	
	Sonipat, Haryana, 131028	
Phone Number:	+91 9999136296	
Email:	lifepronto@gmail.com	

Classificati	on of the substance or mixture:-	
	Flammable	
	Flammable solids	
	Irritant	
	Acute toxicity (oral, dermal, inhalation)	
	Health Hazard	
	Specific target organ toxicity following single exposure	
Flam. Gas 1; 1	H220 Extremely flammable gas.	
Press. Gas; H 2.2. Label ele		
Using the Tox	kicity Data listed in section 11 and 12 the product is labeled as follows. s gas under pressure; may explode if heated.	
	ray from heat / sparks / open flames / hot surfaces - No smoking.	
P377 Leaking	gas fire - do not extinguish unless leak can be stopped safely.	
[Storage]:	te all ignition sources if safe to do so.	
P410+403 Pro	otect from sunlight. Store in a well-ventilated place.	
[Disposal]:	oosal statements	

Room & Bathroom Freshener

MATERIAL SAFETY DATA SHEET

Revision Date: 18/08/2022 Print Date: 18/08/2022 Version: 1.0

MSDS

Section 3 – Composition/Information on Ingredients

PRODUCT NAME : Aromahpure Room & Bathroom Freshener

3.1 Substances

Not relevant (mixture)

Mixtures 3.2

The product does not contain any (other) ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the substance and hence require reporting in this section.

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes	Specific Conc. Limits	M- Factors
Fragrance, mix true with 10 kinds of natural and synthetic spices; recipe is commercial secret			Skin Sens. 1 / H317				

General	Move victim to fresh air. Emergency medical service if deemed necessary.
	Give artificial respiration if victim is not breathing. Administer oxygen if
	breathing is difficult. Remove and isolate contaminated clothing and shoes. In
	case of contact with liquefied gas, thaw frosted parts with lukewarm water.
	Keep victim warm and quiet. Ensure that medical personnel are aware of the
	material(s) involved and take precautions to protect themselves.
Inhalation	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or
	Stopped, give Artificial respiration. If unconscious place in the recovery
	position and obtain immediate
	Medical attention. Give nothing by mouth.
Eyes	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids
	apart and seek
	Medical attention.
Skin	Remove and isolate contaminated clothing and shoes. Clothing frozen to the
	skin should be
	Thawed before being removed. In case of contact with liquefied gas, thaw
	frosted parts with
	Lukewarm water.
Ingestion	If swallowed obtains immediate medical attention. Keep at rest. Do NOT
-	induce vomiting

4.2. Most important symptoms and effects, both acute and delayed

Room & Bathroom Freshener MATERIAL SAFETY DATA SHEET



Revision Date: 18/08/2022

MSDS

Print Date: 18/08/2022 Version: 1.0

Overview

EFFECTS OF OVEREXPOSURE: Overexposure may result in light-headedness, Staggering gait, giddiness, and possible nausea. Intentional misuse by deliberately Concentrating and inhaling the contents may be harmful or fatal. May cause eye and skin Irritation.

SIGNS AND SYMPTOMS OF OVEREXPOSURE: Headache, dizziness, nausea, And loss of coordination are indications of excessive Exposure to vapors or spray mists Redness and itching or burning sensation may indicate eye or Excessive skin exposure.

MEDICAL CONDITIONS AGRAVATED BY EXPOSURE: Pre-existing respiratory, skin, and eye disorders. See section 2 for further details.

Section 5 – Fire-fighting Measures

5.1. Extinguishing media

Fire involving Tanks: Some of these materials, if spilled, may evaporate leaving a flammable residue. Some of these materials, if spilled, may evaporate leaving a flammable residue.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Oxides of Carbon

Keep away from heat / sparks / open flames / hot surfaces - No smoking.

5.3. Advice for fire-fighters

Wear positive pressure self-contained breathing apparatus (SCBA). Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection. Structural firefighters' protective clothing will only provide limited protection. Some may burn but none ignite readily. Containers may explode when heated. Ruptured cylinders may rocket. Vapors may cause dizziness or asphyxiation without warning. Vapors from liquefied gas are initially heavier than air and spread along ground. Contact with gas or liquefied gas may cause burns, severe injury and/or frostbite. Fire may produce irritating, corrosive and/or toxic gases.

Room & Bathroom Freshener



MATERIAL SAFETY DATA SHEET

Print Date: 18/08/2022 Version: 1.0

Revision Date: 18/08/2022

MSDS

Section 6 – Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective equipment. Use spark-proof tools and explosionproof equipment. Ensure that air-handling systems are operational. Ensure adequate ventilation.

6.2. Environmental precautions

Environmental precautions prevent from reaching drains, sewer or waterway. Collect contaminated soil for characterization per Section 13. Should not be released into environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Keep in suitable closed containers for disposal. Wear protective eyewear, gloves, and clothing. Refer to Section 8.Always obey local regulations. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Collect solids in powder form using vacuum with (HEPA filter). Evacuate personnel to safe areas.

Section 7 – Handling and Storage

	Read and follow manufacturer's recommendations. Wear protective
Usage precautions	clothing as described in Section 8 of this safety data sheet. Keep away
	from food, drink and animal feeding stuffs. Handle all packages and
	containers carefully to minimize spills. Keep container tightly sealed
	when not in use. Avoid the content of water to this chemical paste.
Advice on general	Wash promptly if skin becomes contaminated. Take off contaminated
occupational hygien	
	smoke when using this product. Wash at the end of each work shift and
	before eating, smoking and using the toilet. Change work clothing daily
	before leaving workplace.
.2. Conditions for	safe storage, including any incompatibilities
	safe storage, including any incompatibilities
	safe storage, including any incompatibilities store away from incompatible materials (see Section 10). Store in accordance
	safe storage, including any incompatibilities Store away from incompatible materials (see Section 10). Store in accordance with local regulations. Keep only in the original container. Keep container
	safe storage, including any incompatibilities Store away from incompatible materials (see Section 10). Store in accordance with local regulations. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect
	safe storage, including any incompatibilities Store away from incompatible materials (see Section 10). Store in accordance with local regulations. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Bund storage facilities to prevent soil and water
Storage precautior	safe storage, including any incompatibilities Store away from incompatible materials (see Section 10). Store in accordance with local regulations. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Bund storage facilities to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight,
	safe storage, including any incompatibilities Store away from incompatible materials (see Section 10). Store in accordance with local regulations. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Bund storage facilities to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight, joint less and not absorbent.

Room & Bathroom Freshener MATERIAL SAFETY DATA SHEET



Revision Date: 18/08/2022

MSDS

Print Date: 18/08/2022 Version: 1.0

Section 8 – Exposure Controls and Personal Protection

Engineering Controls	Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use/handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or dusts (total/reparable) below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment)
Personal Protective Equipment	Use under a fume hood Respiratory protection Not required under normal conditions of use. Subpart I, wear appropriate Personal Protective Equipment (PPE) to minimize exposure to this material. Respiratory Protection: Not necessary under normal Conditions.
	Skin and body Protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product Stable under normal circumstances.
	Hand protection: Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.
	Eye Protection: Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.
Other skin and body protection	Select glove material impermeable and resistant to the substance. Select glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear protective clothing.
Hygiene Measures	Perform routine housekeeping. Wash hands before breaks and at the end of work. Avoid contact with skin, eyes, and clothing. Before wearing wash contaminated clothing.
Environmental	Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation
Exposure controls	In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Room & Bathroom Freshener



MATERIAL SAFETY DATA SHEET

Revision Date: 18/08/2022

MSDS

Print Date: 18/08/2022 Version: 1.0

Section 9 - Physical and Chemical Properties

Colour	Green
Odour	Characteristic
pH	7
Melting point	Not determined
Freezing Point	Not determined
Initial boiling point	Not determined
Flash point	Not determined
Evaporation rate	Not determined
Flammability (solid, gas)	Not applicable to solid
Fat Solubility	Not determined
Partition coefficient	Not determined
Autoignition temperature	Not determined
Viscosity	>250 cp @20oC
Explosive properties	Not explosive
Oxidising properties	Not oxidising
Solubility	Soluble in water
Vapour pressure	Not determined

Section 10 - Stability and Reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use

conditions. 10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No other adverse effects known.

10.4 Conditions to avoid

None.

Section 11 - Toxicological Information

11.1 Information on toxicological effects

Skin corrosion/irritation Germ cell mutagenicity Carcinogenicity	No irritation expected.
	No mutagenic effects reported.
	No carcinogenic effects reported.
Reproductive toxicity	No observed effect level.

11.1.4 Toxicological Information

Room & Bathroom Freshener



MATERIAL SAFETY DATA SHEET

Revision Date: 18/08/2022

MSDS

Print Date: 18/08/2022 Version: 1.0

П

Alkyl (C12-16) dimethylbenzyl ammonium chloride	Inhalation	
(*R01)	Rat LC50/15min:	Ì
(KUI)	NDA Dermal Rat LD50 800-1420mg/kg	Í
	Oral Rat LD50: 240 –	
	Oral Mouse LD50 NDA 400mg/kg	İ
	Dermal Rabbit LD50: NDA	
	Dermal Guinea Pig LD50: NDA	

Section 12 - Ecological Information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Eco toxicity

Section 13 – Disposal Considerations

Waste Disposal:

Contact a licensed professional waste disposal service to dispose of this material. Dispose of empty containers as unused product. Product or containers must not be disposed with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification.

Disposal methods:

Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor.

Waste, residues, empty containers, Discarded work clothes and contaminated cleaning materials should be. Collected in designated containers, labeled with their.

Section 14 – Transport Information



Room & Bathroom Freshener

MATERIAL SAFETY DATA SHEET

MSDS

Revision Date: 18/08/2022

Print Date: 18/08/2022 Version: 1.0

Contents: Incineration or landfill should only be considered when recycling is not feasible.

General: For limited quantity packaging/limited load information, consult the relevant modal

documentation using the data shown in this section.

Proper Shipping Name: Environmentally hazardous substance, (contains oxides, silcazel, additive

Section 15 - Regulatory Information

National regulations	Health and Safety at Work etc. Act 1974 (as amended). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits.
EU legislation	
0	Regulation (EC) No 1907/2006 of the European Parliament and of the
	Council of 18 December 2006 concerning the Registration, Evaluation,
	Authorisation and Restriction of Chemicals (REACH) (as amended).
	Commission Regulation (EU) No 2015/830 of 28 May 2015. Regulation
	(EC) No 1272/2008 of the European Parliament and of the Council of 16
	December 2008 on classification, labelling and packaging of substances and mixtures (as amended). 15.2. Chemical safety assessment No chemical safety assessment has been carried out.

Section 16 - Other Information



Room & Bathroom Freshener

MATERIAL SAFETY DATA SHEET

MSDS

Revision Date: 18/08/2022

The information above is believed to be accurate and represents the best information currently available to us. However, **Aromahpure Room & Bathroom Freshener.** makes no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. Although reasonable precautions have been taken in the preparation of the data contained herein, it is offered solely for your information, consideration and investigation. This material safety data sheet provides guidelines for the safe handling and use of this product; it does not and cannot advise on all possible situations, therefore, your specific use of this product should be evaluated to determine if additional precautions are required. The data/information contained herein has been reviewed and approved for general release on the basis that this document contains no export controlled information.

Prepared By: Quality Engineer

Approved By: Quality Manager

Disclaimer:

No warranty, expressed or implied, or merchantability, fitness for a particular purpose or otherwise is made, except that the Products herein discussed comply with the chemical description on the labels. Buyer assumes risks of the use, storage and handling **Aromahpure Room & Bathroom Freshener.** Shall not be liable for any incidental or consequential damages arising directly or indirectly in connection with the purchase, use, storage or handling of this product. The information contained herein is, to the best of our knowledge, true and accurate. However, all recommendations or suggestions are made without guarantee, since the conditions of use are beyond our control. We disclaim any liability incurred in connection with the use of these data or suggestions. This information is not to be taken as a license to operate under, or a recommendation to infringe any patent(s). The observance of all regulations and patents is the responsibility of the user. No agent, representative or employee of this company is authorized to vary any terms of this notice.