

# SIRIGIRI CORPORATE PVT LTD



## MATERIAL SAFETY DATA SHEET

Revision Date: 19/03/2022

### MSDS

Print Date: 19/03/2022 Version: 1.0

#### Section 1:

##### 1.1. Product identifier

Product Name: Liquid foliar spray fertilizer  
CAS No : 10043-52-4

##### 1.2

Address:

Supplier's Information  
Sirigiri Corporate Pvt Ltd  
Plot no 35 & 36  
KIADB Industrial area  
Kustagi-583277

Contact Number-

9480598115  
[info@sirigiri.in](mailto:info@sirigiri.in)

#### Section 2: Hazard Identification

Classification: Serious eye damage, category 1  
Skin irritation, category 2  
Specific target organ toxicity – single exposure, category 3

Pictogram:



Hazard Statement:

H315 Causes skin irritation  
H318 Causes serious eye damage  
H335 May cause respiratory irritation

Precautionary Statement:

P261 Avoid breathing vapours/spray  
P264 Wash exposed body parts thoroughly after handling  
P271 Use only outdoor or in a well-ventilated area



# SIRIGIRI CORPORATE PVT LTD



## MATERIAL SAFETY DATA SHEET

Revision Date: 19/03/2022

### MSDS

Print Date: 19/03/2022 Version: 1.0

|              |  |
|--------------|--|
| P280         | Wear rubber gloves, protective clothing, safety goggles and face protection  |
| P305+351+338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P501         | Dispose of containers in accordance to Environmental Quality (Scheduled Waste) Regulations or any local regulations.             |

### Section 3: Composition and Information of the Ingredients

#### SIRIGIRI NUTRIENT

|   |               |                         |              |
|---|---------------|-------------------------|--------------|
| <b>Boron (B):</b>                             | <b>0.2 %</b>  | <b>Zinc (Zn):</b>       | <b>0.4 %</b> |
| <b>Oxygen (O):</b>                            | <b>57 %</b>   | <b>Sulphur (S):</b>     | <b>10%</b>   |
| <b>Sodium (Na):</b>                           | <b>1 %</b>    | <b>Fluorine (F):</b>    | <b>1%</b>    |
| <b>Magnesium (Mg):</b>                        | <b>16%</b>    | <b>Nitrogen (N):</b>    | <b>26%</b>   |
| <b>Alumina (Al<sub>2</sub>O<sub>3</sub>):</b> | <b>1%</b>     | <b>Phosphorus (P):</b>  | <b>16%</b>   |
| <b>Silicon (Si):</b>                          | <b>25 %</b>   | <b>Graphene (G):</b>    | <b>0.1 %</b> |
| <b>Potassium (K):</b>                         | <b>12 %</b>   | <b>Molybednum (Mo):</b> | <b>1%</b>    |
| <b>Calcium (Ca):</b>                          | <b>0.21 %</b> | <b>Copper (Cu) :</b>    | <b>3%</b>    |
| <b>Titanium (Ti):</b>                         | <b>0.2 %</b>  | <b>Manganese (Mn):</b>  | <b>1%</b>    |
| <b>Ferrous (Fe):</b>                          | <b>0.2 %</b>  | <b>Argentum (Ag):</b>   | <b>0.1 %</b> |

\*This product contains other materials which are not classified as hazardous under CLASS Regulations.

### Section 4: First-aid Measures

Call a POISON CENTER or doctor/physician if you feel unwell.

|               |  |
|---------------|--|
| Inhalation:   | Remove victim to fresh air and keep at rest in a position comfortable for breathing.   |
| Skin Contact: | Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse. |
| Eye Contact:  | Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.         |
| Ingestion:    | DO NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER  |

# SIRIGIRI CORPORATE PVT LTD



## MATERIAL SAFETY DATA SHEET

Revision Date: 19/03/2022

### MSDS

Print Date: 19/03/2022 Version: 1.0

or doctor/physician.  
Symptoms: No data available  
Notes to Physician: No data available

### Section 5: Fire-fighting Measures

Suitable Extinguishing Media: Water, carbon dioxide (CO<sub>2</sub>), chemical foam, dry chemical  
Specific Hazard During Fire: Carbon oxides, nitrogen oxides, sulfur oxides, phosphorous oxides, zinc oxides, hydrogen chloride may evolve upon combustion  
Special Protective Equipment: Fire fighters should wear full-faced self-contained breathing apparatus and protective clothing.

### Section 6: Accidental Release Measures

Personal Precautions: Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.  
Environmental Precautions: Avoid release to the environment.  
Method for Cleaning Up: Turn off all ignition sources. Wear protective clothing as indicated in Section 8. Evacuate non essential personnel. Absorb spills with inert material such as clay, sand, earth, sawdust etc. and collect in a drum. Cover up the contaminated area with household detergent and small amount of water. Brush the slurry and spread inert absorbents on the slurry liquid and collect the absorbed material in a drum. Seal drum and dispose of. Do not contaminate water resources.

### Section 7: Handling and Storage

Precautions for Safe Handling: Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.  
Avoid release to the environment.  
Conditions for Safe Storage: Store in a well ventilated place. Store away from combustible materials. Keep away from heat/sparks/open flames/hot surfaces - No smoking. Keep container tightly closed.  
Incompatibles: Strong oxidizing, strong reducing materials.

# SIRIGIRI CORPORATE PVT LTD



## MATERIAL SAFETY DATA SHEET

Revision Date: 19/03/2022

### MSDS

Print Date: 19/03/2022 Version: 1.0

### Section 8: Exposure Control and Personal Protection

#### Exposure Limit:

| Source    | Component          | CAS No.    | Limit                                 |                     |
|-----------|--------------------|------------|---------------------------------------|---------------------|
|           | Ammonium Molybdate | 12054-85-2 | Contains no substances with OEL value |                     |
| ACGIH     | Boric Acid         | 10043-35-3 | TWA inhalable fraction                | 2mg/m <sup>3</sup>  |
|           |                    |            | STEL/ceiling inhalable fraction       | 6mg/m <sup>3</sup>  |
| Australia | Chelating agent    | -          | TWA- 8hr                              | 10mg/m <sup>3</sup> |

| Source     | Component          | CAS No.            | Limit      |                      |
|------------|--------------------|--------------------|------------|----------------------|
| ACGIH TLV  | Copper Sulphate    | 7758-99-8          | TWA        | 1mg/m <sup>3</sup>   |
| NIOSH IDLH |                    |                    | IDLH       | 100mg/m <sup>3</sup> |
|            |                    |                    | TWA        | 1mg/m <sup>3</sup>   |
|            | Ferrous Sulphate   | 7782-63-0          | No data    |                      |
|            | Manganese Sulphate | 7785-87-7          | No data    |                      |
| OES        | Phosphoric Acid    | 7664-38-2          | TWA-8hr    | 1mg/m <sup>3</sup>   |
|            |                    |                    | STEL-15min | 2mg/m <sup>3</sup>   |
|            | Potassium Nitrate  | 7757-79-1          | No data    |                      |
| ACGIH TLV  | Zinc Chloride-fume | 7646-85-7          | TWA        | 1mg/m <sup>3</sup>   |
| US.NIOSH   |                    |                    | STEL       | 2mg/m <sup>3</sup>   |
|            |                    |                    | REL        | 1mg/m <sup>3</sup>   |
| US.OSHA    |                    |                    | STEL       | 2mg/m <sup>3</sup>   |
|            |                    |                    | PEL        | 1mg/m <sup>3</sup>   |
|            |                    |                    | STEL       | 2mg/m <sup>3</sup>   |
|            | TWA                | 1mg/m <sup>3</sup> |            |                      |

# SIRIGIRI CORPORATE PVT LTD



## MATERIAL SAFETY DATA SHEET

Revision Date: 19/03/2022

### MSDS

Print Date: 19/03/2022 Version: 1.0

Engineering Control: Local exhaust ventilation  
Individual Protection Measure: Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.  
Personal Protective Equipment:  
Eye Protection: Protective goggles  
Skin Protection: Rubber gloves and boots  
Respiratory Protection: Respirator

### Section 9: Physical and Chemical Properties

Appearance: Light yellowish green – light greenish liquid  
Odour: Characteristic odour  
Odour Threshold: No data  
pH: 6.5  
Melting/Freezing Point: No data  
Initial Boiling Point: No data  
Boiling Range: No data  
Flash Point: Not applicable  
Evaporation Rate: No data  
Flammability: Not applicable  
Upper Flammability Limit: Not applicable  
Lower Flammability Limit: Not applicable  
Vapour Pressure: No data  
Vapour Density: No data  
Relative Density: 1.2g/ml  
Solubility in Water: Soluble  
Partition Coefficient  $P_{o/w}$ : No data  
Auto-ignition Temperature: No data

# SIRIGIRI CORPORATE PVT LTD



## MATERIAL SAFETY DATA SHEET

Revision Date: 19/03/2022

### MSDS

Print Date: 19/03/2022 Version: 1.0

Decomposition Temperature: No data  
Viscosity: No data

### Section 10: Stability and Reactivity

Reactivity: No data  
Chemical Stability: The material is stable under normal storage condition  
Hazardous Reaction: Carbon oxides, nitrogen oxides, sulfur oxides, phosphorous oxides, zinc oxides, hydrogen chloride may evolve upon combustion  
Condition to Avoid: Direct sunlight, extreme temperature, open flame, sparks  
Incompatible Material: Strong reducing agent, strong oxidizing agents  
Hazardous Decomposition Product: No data

### Section 11: Toxicological Information

#### 11.1 Acute Toxicity

|                                    |  |                       |
|------------------------------------|--|-----------------------|
| Component: Ammonium Molybdate      |  |                       |
| Ingestion, Oral LD <sub>50</sub> : |  |                       |
| Rat                                |  | 333mg/kg              |
| Component: Boric Acid              |  |                       |
| Ingestion, Oral LD <sub>50</sub> : |  |                       |
| Rat                                |  | 3765mg/kg             |
| Dermal, LD <sub>50</sub>           |  |                       |
| Rabbit                             |  | > 2000mg/kg           |
| Inhalation, LC <sub>50</sub>       |  |                       |
| Rat                                |  | > 2.03mg/L            |
| Component: Phosphoric Acid         |  |                       |
| Ingestion, Oral LD <sub>50</sub> : |  |                       |
| Rat                                |  | 1530mg/kg             |
| Dermal, LD <sub>50</sub>           |  |                       |
| Rat                                |  | 2740mg/kg             |
| Inhalation, LC <sub>50</sub>       |  |                       |
| Rat                                |  | 850mg/kg/1hr          |
| Component: Potassium Nitrate       |  |                       |
| Ingestion, Oral LD <sub>50</sub> : |  |                       |
| Rat                                |  | 3750mg/kg             |
| Component: Zinc Chloride           |  |                       |
| Ingestion, Oral LD <sub>50</sub> : |  |                       |
| Rat                                |  | 350mg/kg              |
| Mouse                              |  | 1260mg/kg             |
| Inhalation, LC <sub>50</sub>       |  |                       |
| Rat, 10 min                        |  | 1975mg/m <sup>3</sup> |

# SIRIGIRI CORPORATE PVT LTD



## MATERIAL SAFETY DATA SHEET

Revision Date: 19/03/2022

### MSDS

Print Date: 19/03/2022 Version: 1.0

#### 11.2 Chronic Effect from Short and Long Term

|                        |                           |
|------------------------|---------------------------|
| Exposure Skin Contact: | Causes skin irritation    |
| Eye Contact:           | Causes serious eye damage |
| Inhalation:            | No data available         |
| Ingestion:             | No data available         |
| Carcinogenicity:       | No data available         |
| Mutagenicity:          | No data available         |
| Teratogenicity:        |                           |

#### *Boric Acid*

#### Adverse effect on fertility:

Multigeneration study: NOAEL (fertility, male rats): 17.5mg B/kg bw/day  
Developmental effects have been observed in laboratory animals. The critical effect is considered to be decrease fetal body weight in rats. There is no evidence of developmental effects in human attributable to boron in studies of populations with high exposure to boron. Boric acid is classified and labeled as "Presumed human reproductive toxicant, category 1B", in accordance with Appendix A to 29CFR section 1910.1200, OSHA-GHS

#### 11.3 Symptoms No data available

### Section 12: Ecological Information

#### Ecotoxicity:

#### Component: Ammonium Molybdate

##### Acute Toxicity:

|   |         |
|---|---------|
| <i>Onchorynchus mykiss</i> , LC <sub>50</sub> , 96hr      | 320mg/L |
| <i>Daphnia magna</i> , EC <sub>50</sub> , 48 hr           | 140mg/L |
| <i>Desmodesmus subspicatus</i> , EC <sub>50</sub> , 48 hr | 41mg/L  |

#### Component: Boric Acid

##### Acute Toxicity

|  |              |
|--|--------------|
| Fish, LC <sub>50</sub> , 96 hr                                   | 74 - 725mg/L |
| Aquatic invertebrates, EC <sub>50</sub> , 48hr                   | 45-1376mg/L  |
| <i>Pseudokirchneriella subcapitata</i> , EC <sub>50</sub> , 72hr | 40mg B/L     |

##### Chronic Toxicity

|  |                     |
|--|---------------------|
| Fish, NOEC/EC <sub>10</sub>                          | 2.89 - 16.65mg B/L  |
| Higher plants/Alga/Clorophita, NOEC/EC <sub>10</sub> | 4 - 50mg B/L        |
| Crustacea/Amphibian, NOEC/EC <sub>10</sub>           | 5.67 - 40.62 mg B/L |
| Aquatic micro-organisms, EC <sub>50</sub> , 3hr      | > 175mg B/L         |

#### Component: Chelating agent

##### Acute Toxicity

|   |           |
|---|-----------|
| Fish ( <i>Leuciscus idus</i> ), LC <sub>50</sub> , 96hr | > 500mg/L |
|---|-----------|

#### Component: Copper Sulphate

##### Acute Toxicity

|   |           |
|---|-----------|
| Freshwater fish, LC <sub>50</sub> , 96 hr | 0.1mg/L   |
| Water flea, EC <sub>50</sub> , 48hr       | 0.024mg/L |

#### Component: Potassium Nitrate

# SIRIGIRI CORPORATE PVT LTD



## MATERIAL SAFETY DATA SHEET

Revision Date: 19/03/2022

### MSDS

Print Date: 19/03/2022 Version: 1.0

| Acute Toxicity           |   |                   |              |
|--------------------------|---|-------------------|--------------|
|                          | Fish, LC <sub>50</sub> , 96 hr                            | 162mg/L           |              |
|                          | <i>Poecilia reticulata</i> , LC <sub>50</sub>             | 1378mg/L          |              |
|                          | <i>Lepomis macrochirus</i> , TLM, 96hr                    | 3000mg/L          |              |
|                          | <i>Gambusia affinis</i> , TLM, 96hr                       | 162mg/L           |              |
|                          | <i>Daphnia magna</i> , LC <sub>50</sub> , 96 hr           | 39mg/L            |              |
|                          | <i>Daphnia magna</i> , LC <sub>50</sub> , 48 hr           | 490mg/L           |              |
|                          | <i>Daphnia magna</i> , TLM, 96 hr                         | 39mg/L            |              |
|                          | <i>Daphnia magna</i> , TLM, 48 hr                         | 490mg/L           |              |
|                          | Plankton, EC <sub>50</sub>                                | 200 - 1000mg/L    |              |
| Component: Zinc Chloride |   |                   |              |
| Acute Toxicity           |   |                   |              |
|                          | <i>Onchorynchus mykiss</i> , LC <sub>50</sub> , 96hr      | 0.179 - 0.393mg/L | Mortality    |
|                          | <i>Lymnaea stagnalis</i> , EC <sub>50</sub> , 6hr         | 64mg/L            | Intoxication |
|                          | <i>Callianassa australienses</i> , EC <sub>50</sub> , 7d  | 1.61 - 2.45mg/L   | Intoxication |
|                          | <i>Callianassa australienses</i> , EC <sub>50</sub> , 10d | 1.38 - 1.71mg/L   | Intoxication |
|                          | <i>Callianassa australienses</i> , EC <sub>50</sub> , 14d | 0.97 - 1.22mg/L   | Intoxication |

Persistence and Degradability: No data available  
Bioaccumulative Potential: No data available  
Mobility in Soil: No data available  
Other Adverse Effect: No data available

### Section 13: Disposal Information

Dispose of contents/container to Kualiti Alam / authorized body by DOE.

### Section 14: Transportation Information

|                       |               |
|-----------------------|---------------|
| <b>Land (ADR/RID)</b> | Not regulated |
| <b>Sea (IMDG)</b>     | Not regulated |
| <b>Air (IATA)</b>     | Not regulated |

### Section 15: Regulatory Information



# SIRIGIRI CORPORATE PVT LTD



## MATERIAL SAFETY DATA SHEET

Revision Date: 19/03/2022

### MSDS

Print Date: 19/03/2022 Version: 1.0

Classification: Serious eye damage, category 1 Skin  
irritation, category 2

Specific target organ toxicity – single exposure, category 3

Signal Word: Danger

Pictogram:



Pesticides Act: Not applicable  
Classification: Not applicable

### Section 16: Other Information

Date of Preparation: 14 December 2015  
Date of Revision: 17 November 2016  
Reference Document: ICOP on Chemicals Classification and Hazard Communication 2014  
GHS Purple BookMSDS:

| Material                        | Source                           | Date        |
|---------------------------------|----------------------------------|-------------|
| Ammonium Molybdate Tetrahydrate | Columbus Chemical Industries     | 6/11/2012   |
| Boric Acid                      | SQM North America                | Oct 2012    |
| Chelating agent                 | Orica Australia Pty Ltd,         | 21/10/2013  |
| Copper Sulphate                 | Fisher Scientific                | 20 May 2014 |
| Ferrous Sulphate Monohydrate    | Kimleigh Chemicals SA Pty Ltd    | 14 Feb 2012 |
| Manganese Sulphate Monohydrate  | Numinor Chemicals Ind. Ltd       | Oct 2010    |
| Phosphoric Acid                 | The Carbon Group                 | 30/3/2011   |
| Potassium Nitrate               | LabChem Inc                      | 26/6/2013   |
| Zinc Chloride                   | Avantos Performance Material Inc | 16/5/2014   |

# SIRIGIRI CORPORATE PVT LTD



## MATERIAL SAFETY DATA SHEET

Revision Date: 19/03/2022

### MSDS

Print Date: 19/03/2022 Version: 1.0

#### Disclaimer:

No warranty, expressed or implied, or merchantability, fitness for a particular purpose or otherwise is made, except that the products herein discussed comply with the chemical description on the labels. Buyer assumes risks of the use, storage and handling. **Sirigiri Corporate Pvt Ltd** shall not be liable for any incidental or consequential damages arising directly or indirectly in connection with the purchase, use, storage or handling of this product. The information contained herein is, to the best of our knowledge, true and accurate. However, all recommendations or suggestions are made without guarantee, since the conditions of use are beyond our control. We disclaim any liability incurred in connection with the use of these data or suggestions. This information is not to be taken as a license to operate under, or a recommendation to infringe any patent(s). The observance of all regulations and patents is the responsibility of the user. No agent, representative or employee of this company is authorized to vary any terms of this notice.

